

LA12



Compact vertical line array element designed to provide high performance, detailed highs and a well-defined midrange. The LA12 is a front loaded enclosure that features an internal passive crossover, prepared for bi-amp operation, having built-in premium quality EU transducers (1x 12" - 3in VC) and 1x 1.4" - 2.56 VC Neodymium HF drivers, both combinations ensuring powerful and crystal clear reproduction, high SPL with an extended frequency response. The MF/HF pattern control is array splay dependent thus offering a coverage of 100°x7° (HXV) thanks to true wave guide horn that ensure consistent and long range projection with very low distortion levels.

××

Cena:

Kategorie: Audio, Scena, Głośniki, Instalacje AV,

Nagłośnienie obiektów

GALLERY IMAGES

×

×

OPIS

Key Features

- Front loaded array element, passive
- Trapezoidal enclosure
- 12" MF (3in VC) + 1.4" HF NEO (2.56in VC) EU transducers
- 2x NL4 connected in parallel
- Bi-amp operation
- High performance and crystal clear reproduction
- Faithful dynamic response and great range
- Integrated rigging system for stacked and flown configurations
- Rugged and durable 15mm birch plywood construction
- Powder coated custom perforated steel grille

TECH SPECS

Type 2-way line array element

Enclosure Design Trapezoidal array enclosure

650W (RMS)

Power Output (RMS) 780W (Program)

1500W (Peak)

Frequency Range 62Hz - 20kHz (-10dB)

Nominal Impedance 80hm

Transducer Type 12" MF (3in VC) EU transducer

1.4" HF NEO (2.56in VC) EU transducer

Horizontal: 100°

Dispersion Vertical: 7°

1600Hz

Crossover Frequency

Bi-amp operation, user-selectable

Max. SPL (peak) 132dB @ 1m

Connector 2x NL4 in parallel

Construction 15mm brich plywood, rugged polyurea coating

Grille Custom perforated metal grille with protective foam

Integrated rigging flyware

Installation / Rigging / Flying Splay angle adjustable, 8° (1° increments)

Ø9.8mm ball pins w/ stainless steel lanyard with PVC

Dimensions (WxDxH) 640x505x330mm

25.20x19.88x12.99in

Weight 29Kg 63.93lb